

OKLAHOMA COVID-19 WEEKLY REPORT

Weekly Epidemiology and Surveillance Report
September 4 – September 10, 2020



PURPOSE To provide up-to-date weekly epidemiological data on COVID-19 in Oklahoma.

SNAPSHOT

	Sept 4–Sept 10 ³	Change ¹	Total
Cases	5,673	3.6%	66,700
Recovered cases ²	5,084	19.3%	56,531
Deaths	41	-28.1%	876

1. Change from the week of Aug 28-Sept 3, 2020.
2. Currently not hospitalized or deceased and 14 days after onset/report.
3. Previous week's total is limited to confirmed cases only.

Cases		Deaths	
Persons aged 50 and over	Females	Persons aged 50 and over	Males
31%	53%	96%	55%
of <u>cases</u>	of <u>cases</u>	of <u>deaths</u>	of <u>deaths</u>


The average age of cases was **40** years.

The youngest case was **less than a year old** and the oldest case was **100+ years**.


The average age of individuals who died was **75** years.

The youngest individual to die from COVID-19 was **less than 15 years** and the oldest was **100+ years**.

Testing (reported through September 10)



Hospitalizations



*Ever hospitalized includes discharged, deceased, currently hospitalized and recovered as of 9/10/2020.

**Source OSDH Beds Survey. Note, facility response rate of 96% on 9/10/2020.

KEY POINTS

- **5,673** confirmed cases were reported in the past week
3.6% increase from the week before (Aug 28-Sept 3).
 - **41** deaths were reported in the past week
28.1% decrease from the week before (Aug 28-Sept 3).
 - **5,318 (8.0%)** confirmed cases have been hospitalized
 - **305** confirmed cases were reported to OSDH as hospitalized in the past week
10.3% decrease from the week before (Aug 28-Sept 3)
 - **987,322** specimens have been tested in total
 - **77** counties (out of 77) have had at least one confirmed case of COVID-19
-


DISEASE TESTING

	Sept 4 – Sept 10	Total Number
Specimens tested ¹ , count	61,134	987,322
Specimens positive, count (%)	6,097 (10.0%)	78,255 (7.9%)
Johns Hopkins positivity %	9.4%	6.8%
Antibody tested, count	1,310	74,483
Antibody positive, count (%)	128 (9.8%)	3,581 (4.8%)

1. Includes state and private laboratories.

Note: Specimen counts may not reflect unique individuals.


Positive tests as a percent of total tests



Oklahoma, September 10, 2020

Note: On July 24, 2020 fourteen labs began reporting to OSDH that had been testing since May 18, 2020.

Covid-19 Tests Daily Percent Positive with 7 Day Rolling Average




Oklahoma, September 10, 2020

EPIDEMIOLOGICAL ESTIMATES

	Estimate	Notes / Interpretation
Cases		
Cumulative incidence*	1,691.6 (per 100,000 persons)	From March 7 to September 10, there were about 1,691 per 100,000) new cases of COVID-19 in Oklahoma.
Absolute change in cumulative incidence from previous week	5.0 (per 100,000 persons)	Compared to August 28 – September 3 there were 5 (per 100,000) more cases of COVID-19 reported in Oklahoma during the past week (Sep 4– Sep 10).
Disease Severity		
Case-fatality risk (crude)	1.3%	The estimate is not adjusted for the lag time from reporting to death (i.e., delay between the time someone dies and the time their death is reported). The fatality estimate could be lower due to cases that were undiagnosed or had milder symptoms.
Cumulative Hospitalization rate (overall)	134.9 (per 100,000 persons)	About 134 people per 100,000 have ever been hospitalized for COVID-19 during this outbreak.

CASES AND DEATHS

New cases (by date of onset) and new deaths (by date of death) of COVID-19 in Oklahoma, February–September 2020



Data as of September 10, 2020.

Please note the different axes for new cases (top—from 0 to 1,200 for new cases) and new deaths (bottom—from 0 to 14 for new deaths). Additionally, a 7 day lag has been applied to the trend line based on information collected to-date for 7/19 and 7/25 where within 7 days of onset date approximately 80% of the cases had been reported.

Oklahoma Excess Death Analysis

- + indicates observed count above threshold
- Predicted number of deaths from all causes
- threshold for excess deaths

Weekly number of deaths (from all causes)





Figure notes: Contains data up to the week-ending date of August 29, 2020. Data in recent weeks are incomplete. Only 60% of the death records are submitted to NCHS within 1-days of the date of death, and completeness varies by jurisdiction.

Source: CDC, National Center for Health Statistics, https://www.cdc.gov/nchs/nvss/vsrr/covid19/excess_deaths.htm#dashboard, Sep 10, 2020 12pm

PERCENT OF CASES EVER HOSPITALIZED (by date of report)



Source: OSDH Acute Disease Registry


TIME TO EVENT*

	N	Median	10 th to 90 th Percentile
Time from Symptom Onset to Test (Specimen Collection) ^{1,2}	30,276	3 days	0-10 days
Time from Symptom Onset to Hospitalization ^{1,3}	3,230	6 days	0-14 days
Length of Hospitalization Discharged Alive ⁴	2,537	5 days	1-15 days
Length of Hospitalization Deceased ⁴	660	10 days	2-25 days
Time from Symptom Onset to Death ^{1,5}	549	15 days	5-34 days

*Data as of September 10, 2020.

1. Limited to cases with a known date of symptom onset.
2. Limited to cases with a known date of a test (specimen collection) on or after the date of symptom onset.
3. Limited to cases with a known hospital admission date on or after the date of symptom onset.
4. Limited to cases with a known admission and discharge date from the hospital.
5. Limited to cases who are deceased.

CUMULATIVE CASES, PERCENT HOSPITALIZED, AVERAGE LENGTH OF STAY (LOS) FOR JULY CASES AND DEATHS BY AGE GROUP



DEMOGRAPHIC INFORMATION as of September 10, 2020

	Cases count (%) ¹		Deaths count (%) ¹		Cumulative Incidence Rate ²	Cumulative Mortality Rate ²
Oklahoma	66,700		876		1,691.6	22.2
Gender						
Male	31,378	(47.0)	477	(54.5)	1,606.6	24.4
Female	35,322	(53.0)	399	(45.5)	1,774.9	20.0
Age group						
Under 1- 4	1,443	(2.2)	0	(0.0)	554.1	0.0
5-14	3,698	(5.5)	1	(0.1)	687.5	0.2
15-24	13,528	(20.3)	1	(0.1)	2,515.3	0.2
25-34	11,969	(17.9)	8	(0.9)	2,203.4	1.5
35-44	10,569	(15.8)	13	(1.5)	2,155.2	2.7
45-54	8,963	(13.4)	38	(4.3)	1,947.2	8.3
55-64	7,440	(11.2)	115	(13.1)	1,507.8	23.3
65-74	4,882	(7.3)	235	(26.8)	1,361.2	65.5
75-84	2,761	(4.1)	243	(27.7)	1,470.9	129.5
85+	1,446	(2.2)	222	(25.3)	1,975.5	303.3
Unknown	1	(0.0)				
Race						
American Indian or Alaska Native	6,440	(9.7)	83	(9.5)	2,096.5	27.0
Asian or Pacific Islander	2,411	(3.6)	21	(2.4)	2,722.7	23.7
Black or African American	4,632	(6.9)	53	(6.1)	1,610.1	18.4
Multiracial/Other	2,641	(4.0)	28	(3.2)	638.3	6.8
White	37,277	(55.9)	636	(72.6)	1,309.8	22.3
Unknown	13,299	(19.9)	55	(6.3)		
Ethnicity						
Hispanic or Latino	12,356	(18.5)	61	(7.0)	2,879.7	14.2
Not Hispanic or Latino	39,762	(59.6)	714	(81.5)	1,131.5	20.3
Unknown	14,582	(21.9)	101	(11.5)		

1. Percentages may not add up to 100 due to rounding.

2. Rate per 100,000 population

HEALTHCARE & NON-HEALTHCARE

Status ¹	Non-Healthcare Worker count (%) [*]	Healthcare Worker count (%) [*]
Active	8,971 (14.2)	322 (9.1)
Deceased	866 (1.4)	10 (0.3)
Recovered	53,329 (84.4)	3,202 (90.6)
Total	63,166	3,534

^{*} Percentages may not add up to 100 due to rounding.

1. Data as of September 10, 2020

CASES & DEATHS BY LONG-TERM CARE AND CORRECTIONAL FACILITIES

	Cases	Deaths
LTCF^{1,2}		
Residents	2,301	359
Staff	1,332	3
Total	3,633	362
Correctional Facilities^{2,3}		
Inmates	1,399	8
Staff	312	1
Total	1,711	9

1. Long term care facility or nursing home

2. Data as of September 10, 2020.

3. Correctional facilities include prisons, jails, and juvenile detention centers.

AGE DISTRIBUTION OF NEW CASES/DEATHS CONFIRMED FROM SEPTEMBER 4 – 10


Age group	New Cases [*]	Percentage	New Deaths	Percentage
Under 1- 4	102	1.8%	0	0.0%
5-14	310	5.5%	0	0.0%
15-24	1800	31.7%	0	0.0%
25-34	825	14.5%	1	2.4%
35-44	731	12.9%	0	0.0%
45-54	676	11.9%	2	4.9%
55-64	551	9.7%	3	7.3%
65-74	374	6.6%	11	26.8%
75-84	218	3.8%	13	31.7%
85+	86	1.5%	11	26.8%

^{*}One case this week has an unknown age.

COMORBIDITIES AMONG DECEASED CASES


Comorbidities	Number (%)
At least 1 chronic condition*	654 (74.7)
Chronic heart or circulatory disease	481 (54.9)
Diabetes	324 (37.0)
Chronic renal failure	167 (19.1)
Chronic lung failure	193 (22.0)
Chronic liver failure	28 (3.2)

*Chronic conditions include; chronic heart or circulatory disease, diabetes, chronic lung failure, chronic liver failure and renal failure



RECOVERED CASES


Distribution of **recovered cases of COVID-19**, March-September 2020, Oklahoma



Note: A recovered case is an individual currently not hospitalized or deceased AND 14 days after the onset of symptoms


Symptoms Criteria

Weekly percentage of **Influenza-Like Illness (ILI)** (%), Morbidity and Mortality Weekly Report, Oklahoma, Jan–Aug 2020



Interpretation: Data on Influenza-Like Illness has decreased slightly in the daily number and weekly percentage of influenza-like illness cases in the past week.


COVID-19 Related Emergency Department Visits



Interpretation: Data from syndromic surveillance shows that the number of COVID-19 related emergency department visits has been in the expected range for in the past 2 weeks as indicated by the blue dots on the observed line.

Cumulative incidence of reported COVID-19 cases


Oklahoma ranks **27** (out of all States and DC) in the cumulative incidence (per 100,000 persons) of reported COVID-19 cases in the US.



Data from CDC. Available at <https://www.cdc.gov/covid-data-tracker/index.html>
Data as of September 9, 2020

Total number of reported COVID-19 deaths

Oklahoma ranks **33** (out of all States and DC) in the total number of reported COVID-19 deaths in the US.




Data from CDC. Available at <https://www.cdc.gov/covid-data-tracker/index.html>

Data as of September 9, 2020

NOTE: CDC numbers include both Confirmed and Probable cases whereas the OSDH counts are limited to Confirmed cases.



Cumulative death rate of reported COVID-19 cases

Oklahoma ranks **38** (out of all States and DC) in the cumulative death rate (per 100,000 persons) of reported COVID-19 cases in the US.



Data from CDC. Available at <https://www.cdc.gov/covid-data-tracker/index.html>
Data as of September 9, 2020

Cumulative incidence and cumulative death rate of reported COVID-19 cases



Interpretation: Oklahoma has cumulative incidence that is **above the median** of the US and cumulative death rate **below the median** of the US.

ACKNOWLEDGEMENT

The weekly report is made by possible through the efforts of county and city public health and healthcare professionals.

NOTES

Every effort is made to ensure accuracy and the data is up-to-date for the time period reported.
For daily updates on COVID-19, please visit <https://coronavirus.health.ok.gov/>

DISCLAIMER

The purpose of publishing aggregated statistical COVID-19 data through the OSDH Dashboard, the Executive Order Report, and the Weekly Epidemiology and Surveillance Report is to support the needs of the general public in receiving important and necessary information regarding the state of the health and safety of the citizens of Oklahoma. These resources may be used only for statistical purposes and may not be used in any way that would determine the identity of any reported cases.