


**Q1 The misuse, abuse, and diversion of prescription drugs, including opioid painkillers, has become a priority for consideration prior to prescribing/dispensing in my practice setting.**

Answered: 244 Skipped: 0




Answer Choices	Responses	
Yes	85.25%	208
No	6.97%	17
Unsure	3.28%	8
Other (please specify)	4.51%	11
<b>Total</b>		<b>244</b>

# Quantity Limits on Short Acting Opioid Painkillers

## Q2 My role as a health care provider is the following:


Answered: 240 Skipped: 4



Answer Choices	Responses
Physician (MD, DO)	21.25% 51
Dentist, Nurse Practitioner, Physician Assistant, Podiatrist, Other Prescriber	23.75% 57
Pharmacist	40.42% 97
Pharmacy Technician	9.58% 23
Other (please specify)	5.00% 12
<b>Total</b>	<b>240</b>

**Q3 I check the Prescription Drug Monitoring Program for the following: (select one best answer)**


Answered: 108 Skipped: 136



Answer Choices	Responses
All patients no matter the circumstances or diagnosis	11.11% 12
Only new patients	0.93% 1
Any patient before prescribing a controlled dangerous substance ONLY. Examples include hydrocodone, oxycodone, alprazolam, benzodiazepine.	37.96% 41
Only for those patients I believe are suspected to be at risk of abuse, overdose or diversion.	25.00% 27
Never	5.56% 6
I am currently NOT registered/signed-up with the PMP	3.70% 4
Other (please specify)	15.74% 17
<b>Total</b>	<b>108</b>

**Q4 Besides the required logging of Prescription Drug Monitoring dispensing report data, I check the PMP under the following circumstance:**


Answered: 94 Skipped: 150



Answer Choices	Responses
For ALL patients filling prescriptions	1.06% 1
For only those patients that present with a controlled dangerous substance (CDS) prescription	24.47% 23
For only those patients/customers with a prescription from an unfamiliar prescriber	2.13% 2
For only those patients/customers that I feel are at risk of diversion, abuse or overdose	60.64% 57
Our current system does not allow individual pharmacists to check the PMP	1.06% 1
Never	1.06% 1
Other (please specify)	9.57% 9
<b>Total</b>	<b>94</b>

**Q5 The quantity limit edit on short acting opioids, implemented by OHCA for SoonerCare members, impacted the prescription prescribing process and workflow in the following manner:**


Answered: 235 Skipped: 9



Answer Choices	Responses
Not at all	21.70% 51
Minimal	40.43% 95
Medium	25.11% 59
High	10.21% 24
Very High	2.55% 6
<b>Total</b>	<b>235</b>

**Q6 The OHCA quantity limit edit on short acting opioids was communicated to me by the following method (choose all that apply)**

Answered: 233 Skipped: 11




Answer Choices	Responses
Press Release - media	3.86% 9
SoonerCare Pharmacy Update	28.76% 67
SoonerCare Provider Letter	35.19% 82
e-mail	13.30% 31
OHCA Website	11.16% 26
I do not recall receiving any communication	32.19% 75
Other (please specify)	9.87% 23
<b>Total Respondents: 233</b>	

## Quantity Limits on Short Acting Opioid Painkillers

### Q7 In your practice setting, the OHCA quantity limits have impacted which of the following medication management processes the most: (select all that apply)


Answered: 230 Skipped: 14



Answer Choices	Responses	Count
Prescribing	33.04%	76
Transcribing	0.43%	1
Dispensing	44.78%	103
Administering	3.48%	8
Monitoring	16.96%	39
Not at all (none)	11.30%	26
Other (please specify)	13.04%	30
<b>Total Respondents: 230</b>		

**Q8 In my opinion, the quantity limits placed on short acting opioids has impacted SoonerCare patients in the following manner:**

Answered: 228 Skipped: 16




Answer Choices	Responses	Count
Not at all	15.35%	35
Minimal	42.98%	98
Medium	25.44%	58
High	8.33%	19
Very High	2.63%	6
Other (please specify)	5.26%	12
<b>Total</b>		<b>228</b>



**Q9 In my opinion, overall the quantity limits on short acting opioids will help to decrease prescription drug overdose death rates in the following manner:**


Answered: 227 Skipped: 17



Answer Choices	Responses	Count
Not at all	15.86%	36
Minimal impact	37.89%	86
Medium	30.84%	70
High Impact	11.45%	26
Very High Impact	3.96%	9
<b>Total</b>		<b>227</b>

**Q10 My primary work setting is the following:**


Answered: 226 Skipped: 18



Answer Choices	Responses	
Prescriber (MD, DO, Dentist, Podiatrist, ARNP, PA)	48.67%	110
Pharmacy	51.33%	116
<b>Total</b>		<b>226</b>

**Q11 Please select one of the following that best describes your practice setting:**

Answered: 110 Skipped: 134




Answer Choices	Responses
General Practice - Clinic-Office	54.55% 60
Pain Management	3.64% 4

## Quantity Limits on Short Acting Opioid Painkillers

Emergency Room	8.18%	9
Dentist	12.73%	14
ARNP	0.00%	0
Surgeon	1.82%	2
Physician Assistant (PA)	0.00%	0
Nurse	0.00%	0
Long Term Care	0.00%	0
Urgent Care	2.73%	3
Pediatrician	1.82%	2
OB\GYN	1.82%	2
Hospital	0.91%	1
Government	2.73%	3
Administration - Director - Manager	0.91%	1
Other (please specify)	8.18%	9
<b>Total</b>		<b>110</b>

**Q12 Please select one of the following that best describes your practice setting**

Answered: 118 Skipped: 126



Answer Choices	Responses	
Community -Independent	72.03%	85
Community - Chain	18.64%	22
Specialty Pharmacy	1.69%	2
Long Term Care (Closed Door)	2.54%	3
Hospital	0.00%	0
Government	1.69%	2
Administrative - Director - Manager - Clinical	0.00%	0
Other (please specify)	3.39%	4
<b>Total</b>		<b>118</b>

**Q13 Thank you for taking the time to complete this survey. Lastly, what comments or suggestions do you have to OHCA to help curb prescription drug abuse among SoonerCare members?**

Answered: 105 Skipped: 139