





Oklahoma Water Resources Bulletin & Summary of Current Conditions



January 20, 2023

Statewide Precipitation

| Climate Division | Last 30 Days December 21, 2022 – January 19, 2023 | | | | Last 365 Days January 20, 2022 – January 19, 2023 | | | |
|------------------|--|--------------------------------|-------------------|--------------------|--|--------------------------------|-------------------|--------------------|
| | Total Rainfall (inches) | Departure From Normal (inches) | Percent of Normal | Rank Since 1921 | Total Rainfall (inches) | Departure From Normal (inches) | Percent of Normal | RANK SINCE 1921 |
| PANHANDLE | 0.09" | -0.54" | 15% | 17th driest | 12.37" | -8.21" | 60% | 5th driest |
| N. CENTRAL | 0.23" | -0.73" | 24% | 18th driest | 21.02" | -10.40" | 67% | 6th driest |
| NORTHEAST | 0.89" | -1.00" | 47% | 27th driest | 34.47" | -8.20" | 81% | 22nd driest |
| W. CENTRAL | 0.07" | -0.86" | 7% | 9th driest | 21.63" | -6.77" | 76% | 17th driest |
| CENTRAL | 0.40" | -1.08" | 27% | 20th driest | 31.23" | -6.40" | 83% | 31st driest |
| E. CENTRAL | 1.04" | -1.52" | 41% | 28th driest | 45.56" | -0.58" | 99% | 46th wettest |
| SOUTHWEST | 0.12" | -0.97" | 11% | 17th driest | 24.39" | -5.88" | 81% | 27th driest |
| S. CENTRAL | 0.10" | -2.01" | 5% | 5th driest | 30.76" | -9.95" | 76% | 20th driest |
| SOUTHEAST | 0.63" | -2.46" | 20% | 5th driest | 43.44" | -7.15" | 86% | 29th driest |
| STATEWIDE | 0.40" | -1.23" | 24% | 12th driest | 29.29" | -7.18" | 80% | 20th driest |





Mesonet
Percent of 1991-2020 Normal Rainfall
Last 30 Days

Dec 21, 2022 through Jan 19, 2023
Created 2:39:06 AM January 20, 2023 CST - Copyright 2023

Mesonet
Percent of 1991-2020 Normal Rainfall
Last 365 Days

Jan 20, 2022 through Jan 19, 2023
Created 2:39:17 AM January 20, 2023 CST - Copyright 2023

Soil Moisture



Mesonet
1-day Average 10-inch Fractional Water Index

January 19, 2023
Created 6:30:14 AM January 20, 2023 CST - Copyright 2023

Mesonet
7-day 10-inch Fractional Water Index Change

January 19, 2023
Created 5:30:01 AM January 20, 2023 CST - Copyright 2023

The Fractional Water Index ranges from very dry soil having a value of 0 to soil at field capacity illustrated by a value of 1. [1.0-0.8 = Enhanced Growth; 0.8-0.5 = Limited Growth; 0.5-0.3 = Plants Wilting; 0.3-0.1 = Plants Dying; <0.1 = Barren Soil.]


DROUGHT INDICES

| Palmer Drought Severity Index (PDSI) | | | | | Standardized Precipitation Index (SPI) Through December 2022 | | |
|--------------------------------------|-------------------|----------------|---------------|--------------------|---|----------------|----------------|
| Climate Division | Status 1/14/23 | Value 12/24 | Value 1/14 | Change in Value | 3-month | 12-month | 24-month |
| NORTHWEST | Extreme Drought | -5.30 | -5.26 | 0.04(+) | Moderately Dry | Extremely Dry | Severely Dry |
| NORTH CENTRAL | Moderate Drought | -1.74 | -2.12 | 0.38(-) | Near Normal | Moderately Dry | Moderately Dry |
| NORTHEAST | Near Normal | -1.35 | -1.75 | 0.4(-) | Near Normal | Abnormally Dry | Near Normal |
| WEST CENTRAL | Moderate Drought | -1.65 | -2.11 | 0.46(-) | Near Normal | Moderately Dry | Abnormally Dry |
| CENTRAL | Near Normal | -1.30 | -1.87 | 0.57(-) | Near Normal | Abnormally Dry | Near Normal |
| EAST CENTRAL | Near Normal | 0.35 | 0.23 | 0.12(-) | Near Normal | Near Normal | Near Normal |
| SOUTHWEST | Near Normal | -0.29 | -0.70 | 0.41(-) | Abnormally Moist | Near Normal | Near Normal |
| SOUTH CENTRAL | Near Normal | -0.01 | -0.64 | 0.63(-) | Near Normal | Abnormally Dry | Abnormally Dry |
| SOUTHEAST | Near Normal | 0.78 | 0.09 | 0.69(-) | Abnormally Moist | Near Normal | Near Normal |

The *PDSI* is based upon precipitation, temperature, and soil moisture, and is considered most effective for unirrigated cropland, spanning from -10 (dry) to +10 (wet). According to the latest *PDSI*, as of January 14, 2023, most climate regions were Near Normal, but the Northwest remained in Extreme Drought, and the North Central and West Central were in Moderate Drought.

The *SPI* provides a comparison of precipitation over several specified time periods with totals from the periods for all years in the historical record. Through December 2022, the Northwest was Moderately Dry for the 3-month, Extremely Dry for the 12-month, and Severely Dry for the 24-month periods. North Central was Moderately Dry for the 12- and 24-month periods; West Central was Moderately dry for the 12-month period.


Keetch-Byram Drought Fire Index



The Keetch-Byram Drought Index measures the state of near-surface soil moisture (within the uppermost eight inches of soil) as well as the amount of fuel available for fires.

KBDI values of 600 and above are often associated with more severe drought and increased wildfire occurrence.

State & County Burn Ban Status




Mesonet
Keetch-Byram Drought Index

Streamflow Conditions


| Explanation - Percentile classes | | | | | | | |
|----------------------------------|--------------------------|-----------------------|-----------------|-----------------------|--------------------------|------|------------|
| ● | ● | ● | ● | ● | ● | ● | ○ |
| Low | <10 Much below normal | 10-24 Below normal | 25-75 Normal | 76-90 Above normal | >90 Much above normal | High | Not ranked |

Visit waterwatch.usgs.gov for additional real-time streamflow information.



Drought Summary for Oklahoma

U.S. Drought Monitor Oklahoma



January 17, 2023
(Released Thursday, Jan. 19, 2023)
Valid 7 a.m. EDT

- Intensity:**
- None
 - D0 Abnormally Dry
 - D1 Moderate Drought
 - D2 Severe Drought
 - D3 Extreme Drought
 - D4 Exceptional Drought

The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

Author:
Deborah Bathke
National Drought Mitigation Center

D0 - Abnormally Dry

- Crops are stressed (wheat, canola, alfalfa, pecans); winter wheat germination is delayed
- Stock pond levels decline

D1 - Moderate Drought

- Summer crop and forage yields are reduced
- Wildfire risk increases
- Lake recreation activities are affected; deer reproduction is poor

D2 - Severe Drought

- Dryland crops are severely reduced; pasture growth is stunted
- Cattle are stressed
- Burn bans begin

D3 - Extreme Drought

- Grasses are dormant, and hay is nonexistent; planting is delayed; fields are spotty; emergency CRP grazing is authorized
- Cattle have little water and feed
- Wildfires are increasing in number and severity; air quality is poor, with dust storms and smoke

D4 - Exceptional Drought





- Ground is cracking; farmers are bailing failed crops or abandoning fields; pastures are bare; land is abandoned
- Cost of hay and water is high and supplies are scarce; producers are liquidating herds
- Burn restrictions increase; fire season is long



| Week | Date | None | D0-D4 | D1-D4 | D2-D4 | D3-D4 | D4 | DSCI |
|------------------------|------------|------|--------|--------|-------|-------|-------|------|
| Current | 2023-01-17 | 2.04 | 97.96 | 89.12 | 81.01 | 57.90 | 11.77 | 338 |
| Last Week | 2023-01-10 | 2.54 | 97.46 | 89.12 | 81.01 | 57.21 | 11.77 | 337 |
| 3 Months Ago | 2022-10-18 | 0.00 | 100.00 | 100.00 | 99.82 | 82.26 | 29.71 | 412 |
| Start of Calendar Year | 2022-12-27 | 1.82 | 98.18 | 89.73 | 80.92 | 56.13 | 11.65 | 337 |
| Start of Water Year | 2022-09-27 | 0.00 | 100.00 | 99.88 | 94.44 | 64.44 | 17.25 | 376 |
| One Year Ago | 2022-01-18 | 4.80 | 95.20 | 88.04 | 73.86 | 46.55 | 2.06 | 306 |

According to the latest U.S. Drought Monitor, as of January 17, 2023, an estimated 3,522,506 people in Oklahoma (89.12% of the state in area) were experiencing drought conditions, including 11.77% of the state in area in Exceptional Drought (D4), 57.90% in Extreme Drought (D3) or worse, and 81.01% in Severe Drought (D2) or worse.


Monthly/Seasonal Outlook



Drought Probability

U.S. Seasonal Drought Outlook

Valid for January 19 - April 30, 2023
Released January 19



Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).

- Drought persists
- Drought remains but improves
- Drought removal likely
- Drought development likely




<http://go.usa.gov/3eZ73>

Author:
Yun Fan
NOAA/NWS/NCEP/Climate Prediction Center



Reservoir Levels

Oklahoma Reservoir Levels and Storage as of 1/18/2023



This map shows reservoir storage as a percentage of normal pool storage capacity. The source information was collected from real-time lake gages monitored by the U.S. Army Corps of Engineers (https://www.swt-wc.usace.army.mil/Daily_Morning_Reservoir_Report.pdf), and the U.S. Geological Survey (https://waterdata.usgs.gov/ok/nwis/current/?type=lake&group_key=basin_cd). For more information please visit the OWRB's website: (<https://www.owrb.ok.gov>).

